



---

# VILLAGE OF SHOREWOOD

## 2016 NE COMBINED SEWER IMPROVEMENTS

Shorewood Public Works  
Village Hall • April 7, 2016

# Our Goals




- Tonight:
  - Enhance your understanding of the project
  - Be accessible to address your questions or concerns
- Throughout the project:
  - Minimize disruption and inconvenience
  - Complete a quality project
  - Be accessible to address your concerns

# Tonight's Agenda



- Project Scope
  - Sewer relay
  - Road reconstruction
  - Water main & service replacement
  - Ash tree replacement
- Project Schedule
- Project Team
- Communication
- Question/Answer

# 2016 Project Area



# Project Scope



## Sewer Relay

- Recommended in 2011 Facilities Plan
- Includes capacity improvements and rerouting of flows
- Reduces backup risk in the north side of the combined area
- Reduces incidence of existing combined sewer bypassing to Lake Michigan



# Project Scope



## Street Restoration

### Full reconstruction

- New concrete curb and gutter
- New driveway approaches and carriage walks
- New pedestrian curb ramps with ADA detectable warning fields
- Asphalt street
  - 10 inch base course
  - 6 inch asphalt course
- Landscape restoration with sod

### Asphalt overlay

- Curb, gutter and driveway approaches to remain
- New asphalt 2" top course
- No landscape restoration required

# Project Scope



## Water System Improvements

### Water main

- Main replacement segment identified based upon maintenance records
- Multiple gate valve replacements/new installations
- Contractor required to provide minimum 24 hour notice for any non-emergency water shut-offs
- Utility work is first among scheduled tasks

### Water services


- Municipal service connections to new water main replaced with copper
- Affected homeowners notified; informational meeting to follow

# Project Scope



## Additional Improvements

- Green Infrastructure
  - Pervious paver crosswalks test program at intersection of Kensington and Frederick
- Terrace drain system will be installed in most areas for private sump pump and/or downspout connections



# Project Scope



## Ash Tree Replacement

- Component of Village EAB Readiness Plan
- Proactive removal of identified ash trees in project area meeting Village Board approved criteria
  - All ash trees in poor condition
  - All European and Green ash under 24” in diameter
  - White ash to remain per recent urban forestry research of higher EAB tolerance
  - All remaining trees to be treated for EAB under Village’s current injection program
- Tree removal among first tasks; replacement planting among final tasks



*Toledo, Ohio. Left: Before EAB June 2006. Right: Peak EAB June 2009.*



# Project Schedule Highlights

- Subject to change; weather permitting

**April/May** Sewer and water main installation

**May/June** Sewer installation

**July/August** Street construction

**September** Landscape restoration, tree planting

**September 30** Substantial completion

# Driveways



- Driveway approaches will be removed early in project (May/June). Approaches will be stoned immediately after to preserve access
- Approaches will be replaced in new style matching width of existing driveway.
- 24-48 hours notice given prior to driveway closure for curb installation.
- No access to driveway during the installation of curb and replacement of driveway approaches – approximately 10-14 days.
- On-street overnight parking permits included in March 21 mailing
  - Vehicles to park outside of project area overnight. Parking permits valid for Shorewood ONLY not Whitefish Bay streets.
- Accommodations can be made for residents with mobility impairments/medical issues.

# Project Communication



- Weekly email updates
  - [dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)
- Web page
  - [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)
- Department of Public Works
  - 414.847.2650
- Project Inspection team – Strand Associates
  - Colin Doherty 608-658-9508

# Thank You!




To receive weekly email updates:  
[dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)

- Project questions?

Leeann Butschlick  
Director of Public Works  
414.847.2650  
[lbutschlick@villageofshorewood.org](mailto:lbutschlick@villageofshorewood.org)

Joel Kolste  
Assistant Director of Public Works  
414.847.2650  
[jkolste@villageofshorewood.org](mailto:jkolste@villageofshorewood.org)

Colin Doherty  
Field Engineer/Inspector  
phone # 608-658-9508



Weekly updates posted on: [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)



---

# VILLAGE OF SHOREWOOD

## 2016 NE COMBINED SEWER IMPROVEMENTS

Shorewood Public Works  
Village Hall • April 7, 2016

# Our Goals




- Tonight:
  - Enhance your understanding of the project
  - Be accessible to address your questions or concerns
- Throughout the project:
  - Minimize disruption and inconvenience
  - Complete a quality project
  - Be accessible to address your concerns

# Tonight's Agenda



- Project Scope
  - Sewer relay
  - Road reconstruction
  - Water main & service replacement
  - Ash tree replacement
- Project Schedule
- Project Team
- Communication
- Question/Answer

# 2016 Project Area



# Project Scope



## Sewer Relay

- Recommended in 2011 Facilities Plan
- Includes capacity improvements and rerouting of flows
- Reduces backup risk in the north side of the combined area
- Reduces incidence of existing combined sewer bypassing to Lake Michigan



# Project Scope



## Street Restoration

### Full reconstruction

- New concrete curb and gutter
- New driveway approaches and carriage walks
- New pedestrian curb ramps with ADA detectable warning fields
- Asphalt street
  - 10 inch base course
  - 6 inch asphalt course
- Landscape restoration with sod

### Asphalt overlay

- Curb, gutter and driveway approaches to remain
- New asphalt 2" top course
- No landscape restoration required

# Project Scope



## Water System Improvements

### Water main

- Main replacement segment identified based upon maintenance records
- Multiple gate valve replacements/new installations
- Contractor required to provide minimum 24 hour notice for any non-emergency water shut-offs
- Utility work is first among scheduled tasks

### Water services


- Municipal service connections to new water main replaced with copper
- Affected homeowners notified; informational meeting to follow

# Project Scope



## Additional Improvements

- Green Infrastructure
  - Pervious paver crosswalks test program at intersection of Kensington and Frederick
- Terrace drain system will be installed in most areas for private sump pump and/or downspout connections



# Project Scope



## Ash Tree Replacement

- Component of Village EAB Readiness Plan
- Proactive removal of identified ash trees in project area meeting Village Board approved criteria
  - All ash trees in poor condition
  - All European and Green ash under 24” in diameter
  - White ash to remain per recent urban forestry research of higher EAB tolerance
  - All remaining trees to be treated for EAB under Village’s current injection program
- Tree removal among first tasks; replacement planting among final tasks



*Toledo, Ohio. Left: Before EAB June 2006. Right: Peak EAB June 2009.*



# Project Schedule Highlights

- Subject to change; weather permitting

**April/May** Sewer and water main installation

**May/June** Sewer installation

**July/August** Street construction

**September** Landscape restoration, tree planting

**September 30** Substantial completion

# Driveways



- Driveway approaches will be removed early in project (May/June). Approaches will be stoned immediately after to preserve access
- Approaches will be replaced in new style matching width of existing driveway.
- 24-48 hours notice given prior to driveway closure for curb installation.
- No access to driveway during the installation of curb and replacement of driveway approaches – approximately 10-14 days.
- On-street overnight parking permits included in March 21 mailing
  - Vehicles to park outside of project area overnight. Parking permits valid for Shorewood ONLY not Whitefish Bay streets.
- Accommodations can be made for residents with mobility impairments/medical issues.

# Project Communication



- Weekly email updates
  - [dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)
- Web page
  - [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)
- Department of Public Works
  - 414.847.2650
- Project Inspection team – Strand Associates
  - Colin Doherty 608-658-9508

# Thank You!




To receive weekly email updates:  
[dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)

- Project questions?

Leeann Butschlick  
Director of Public Works  
414.847.2650  
[lbutschlick@villageofshorewood.org](mailto:lbutschlick@villageofshorewood.org)

Joel Kolste  
Assistant Director of Public Works  
414.847.2650  
[jkolste@villageofshorewood.org](mailto:jkolste@villageofshorewood.org)

Colin Doherty  
Field Engineer/Inspector  
phone # 608-658-9508



Weekly updates posted on: [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)



---

# VILLAGE OF SHOREWOOD

## 2016 NE COMBINED SEWER IMPROVEMENTS

Shorewood Public Works  
Village Hall • April 7, 2016

# Our Goals




- Tonight:
  - Enhance your understanding of the project
  - Be accessible to address your questions or concerns
- Throughout the project:
  - Minimize disruption and inconvenience
  - Complete a quality project
  - Be accessible to address your concerns

# Tonight's Agenda



- Project Scope
  - Sewer relay
  - Road reconstruction
  - Water main & service replacement
  - Ash tree replacement
- Project Schedule
- Project Team
- Communication
- Question/Answer

# 2016 Project Area



# Project Scope



## Sewer Relay

- Recommended in 2011 Facilities Plan
- Includes capacity improvements and rerouting of flows
- Reduces backup risk in the north side of the combined area
- Reduces incidence of existing combined sewer bypassing to Lake Michigan



# Project Scope



## Street Restoration

### Full reconstruction

- New concrete curb and gutter
- New driveway approaches and carriage walks
- New pedestrian curb ramps with ADA detectable warning fields
- Asphalt street
  - 10 inch base course
  - 6 inch asphalt course
- Landscape restoration with sod

### Asphalt overlay

- Curb, gutter and driveway approaches to remain
- New asphalt 2" top course
- No landscape restoration required

# Project Scope



## Water System Improvements

### Water main

- Main replacement segment identified based upon maintenance records
- Multiple gate valve replacements/new installations
- Contractor required to provide minimum 24 hour notice for any non-emergency water shut-offs
- Utility work is first among scheduled tasks

### Water services


- Municipal service connections to new water main replaced with copper
- Affected homeowners notified; informational meeting to follow

# Project Scope



## Additional Improvements

- Green Infrastructure
  - Pervious paver crosswalks test program at intersection of Kensington and Frederick
- Terrace drain system will be installed in most areas for private sump pump and/or downspout connections



# Project Scope



## Ash Tree Replacement

- Component of Village EAB Readiness Plan
- Proactive removal of identified ash trees in project area meeting Village Board approved criteria
  - All ash trees in poor condition
  - All European and Green ash under 24” in diameter
  - White ash to remain per recent urban forestry research of higher EAB tolerance
  - All remaining trees to be treated for EAB under Village’s current injection program
- Tree removal among first tasks; replacement planting among final tasks



*Toledo, Ohio. Left: Before EAB June 2006. Right: Peak EAB June 2009.*



# Project Schedule Highlights

- Subject to change; weather permitting

**April/May** Sewer and water main installation

**May/June** Sewer installation

**July/August** Street construction

**September** Landscape restoration, tree planting

**September 30** Substantial completion

# Driveways



- Driveway approaches will be removed early in project (May/June). Approaches will be stoned immediately after to preserve access
- Approaches will be replaced in new style matching width of existing driveway.
- 24-48 hours notice given prior to driveway closure for curb installation.
- No access to driveway during the installation of curb and replacement of driveway approaches – approximately 10-14 days.
- On-street overnight parking permits included in March 21 mailing
  - Vehicles to park outside of project area overnight. Parking permits valid for Shorewood ONLY not Whitefish Bay streets.
- Accommodations can be made for residents with mobility impairments/medical issues.

# Project Communication



- Weekly email updates
  - [dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)
- Web page
  - [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)
- Department of Public Works
  - 414.847.2650
- Project Inspection team – Strand Associates
  - Colin Doherty 608-658-9508

# Thank You!




To receive weekly email updates:  
[dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)

- Project questions?

Leeann Butschlick  
Director of Public Works  
414.847.2650  
[lbutschlick@villageofshorewood.org](mailto:lbutschlick@villageofshorewood.org)

Joel Kolste  
Assistant Director of Public Works  
414.847.2650  
[jkolste@villageofshorewood.org](mailto:jkolste@villageofshorewood.org)

Colin Doherty  
Field Engineer/Inspector  
phone # 608-658-9508



Weekly updates posted on: [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)



---

# VILLAGE OF SHOREWOOD

## 2016 NE COMBINED SEWER IMPROVEMENTS

Shorewood Public Works  
Village Hall • April 7, 2016

# Our Goals




- Tonight:
  - Enhance your understanding of the project
  - Be accessible to address your questions or concerns
- Throughout the project:
  - Minimize disruption and inconvenience
  - Complete a quality project
  - Be accessible to address your concerns

# Tonight's Agenda



- Project Scope
  - Sewer relay
  - Road reconstruction
  - Water main & service replacement
  - Ash tree replacement
- Project Schedule
- Project Team
- Communication
- Question/Answer

# 2016 Project Area



# Project Scope



## Sewer Relay

- Recommended in 2011 Facilities Plan
- Includes capacity improvements and rerouting of flows
- Reduces backup risk in the north side of the combined area
- Reduces incidence of existing combined sewer bypassing to Lake Michigan



# Project Scope



## Street Restoration

### Full reconstruction

- New concrete curb and gutter
- New driveway approaches and carriage walks
- New pedestrian curb ramps with ADA detectable warning fields
- Asphalt street
  - 10 inch base course
  - 6 inch asphalt course
- Landscape restoration with sod

### Asphalt overlay

- Curb, gutter and driveway approaches to remain
- New asphalt 2" top course
- No landscape restoration required

# Project Scope



## Water System Improvements

### Water main

- Main replacement segment identified based upon maintenance records
- Multiple gate valve replacements/new installations
- Contractor required to provide minimum 24 hour notice for any non-emergency water shut-offs
- Utility work is first among scheduled tasks

### Water services


- Municipal service connections to new water main replaced with copper
- Affected homeowners notified; informational meeting to follow

# Project Scope



## Additional Improvements

- Green Infrastructure
  - Pervious paver crosswalks test program at intersection of Kensington and Frederick
- Terrace drain system will be installed in most areas for private sump pump and/or downspout connections



# Project Scope



## Ash Tree Replacement

- Component of Village EAB Readiness Plan
- Proactive removal of identified ash trees in project area meeting Village Board approved criteria
  - All ash trees in poor condition
  - All European and Green ash under 24” in diameter
  - White ash to remain per recent urban forestry research of higher EAB tolerance
  - All remaining trees to be treated for EAB under Village’s current injection program
- Tree removal among first tasks; replacement planting among final tasks



*Toledo, Ohio. Left: Before EAB June 2006. Right: Peak EAB June 2009.*



# Project Schedule Highlights

- Subject to change; weather permitting

**April/May** Sewer and water main installation

**May/June** Sewer installation

**July/August** Street construction

**September** Landscape restoration, tree planting

**September 30** Substantial completion

# Driveways



- Driveway approaches will be removed early in project (May/June). Approaches will be stoned immediately after to preserve access
- Approaches will be replaced in new style matching width of existing driveway.
- 24-48 hours notice given prior to driveway closure for curb installation.
- No access to driveway during the installation of curb and replacement of driveway approaches – approximately 10-14 days.
- On-street overnight parking permits included in March 21 mailing
  - Vehicles to park outside of project area overnight. Parking permits valid for Shorewood ONLY not Whitefish Bay streets.
- Accommodations can be made for residents with mobility impairments/medical issues.

# Project Communication



- Weekly email updates
  - [dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)
- Web page
  - [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)
- Department of Public Works
  - 414.847.2650
- Project Inspection team – Strand Associates
  - Colin Doherty 608-658-9508

# Thank You!




To receive weekly email updates:  
[dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)

- Project questions?

Leeann Butschlick  
Director of Public Works  
414.847.2650  
[lbutschlick@villageofshorewood.org](mailto:lbutschlick@villageofshorewood.org)

Joel Kolste  
Assistant Director of Public Works  
414.847.2650  
[jkolste@villageofshorewood.org](mailto:jkolste@villageofshorewood.org)

Colin Doherty  
Field Engineer/Inspector  
phone # 608-658-9508



Weekly updates posted on: [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)



---

# VILLAGE OF SHOREWOOD

## 2016 NE COMBINED SEWER IMPROVEMENTS

Shorewood Public Works  
Village Hall • April 7, 2016

# Our Goals




- Tonight:
  - Enhance your understanding of the project
  - Be accessible to address your questions or concerns
- Throughout the project:
  - Minimize disruption and inconvenience
  - Complete a quality project
  - Be accessible to address your concerns

# Tonight's Agenda



- Project Scope
  - Sewer relay
  - Road reconstruction
  - Water main & service replacement
  - Ash tree replacement
- Project Schedule
- Project Team
- Communication
- Question/Answer

# 2016 Project Area



# Project Scope



## Sewer Relay

- Recommended in 2011 Facilities Plan
- Includes capacity improvements and rerouting of flows
- Reduces backup risk in the north side of the combined area
- Reduces incidence of existing combined sewer bypassing to Lake Michigan



# Project Scope



## Street Restoration

### Full reconstruction

- New concrete curb and gutter
- New driveway approaches and carriage walks
- New pedestrian curb ramps with ADA detectable warning fields
- Asphalt street
  - 10 inch base course
  - 6 inch asphalt course
- Landscape restoration with sod

### Asphalt overlay

- Curb, gutter and driveway approaches to remain
- New asphalt 2" top course
- No landscape restoration required

# Project Scope



## Water System Improvements

### Water main

- Main replacement segment identified based upon maintenance records
- Multiple gate valve replacements/new installations
- Contractor required to provide minimum 24 hour notice for any non-emergency water shut-offs
- Utility work is first among scheduled tasks

### Water services


- Municipal service connections to new water main replaced with copper
- Affected homeowners notified; informational meeting to follow

# Project Scope



## Additional Improvements

- Green Infrastructure
  - Pervious paver crosswalks test program at intersection of Kensington and Frederick
- Terrace drain system will be installed in most areas for private sump pump and/or downspout connections



# Project Scope



## Ash Tree Replacement

- Component of Village EAB Readiness Plan
- Proactive removal of identified ash trees in project area meeting Village Board approved criteria
  - All ash trees in poor condition
  - All European and Green ash under 24” in diameter
  - White ash to remain per recent urban forestry research of higher EAB tolerance
  - All remaining trees to be treated for EAB under Village’s current injection program
- Tree removal among first tasks; replacement planting among final tasks



*Toledo, Ohio. Left: Before EAB June 2006. Right: Peak EAB June 2009.*



# Project Schedule Highlights

- Subject to change; weather permitting

**April/May** Sewer and water main installation

**May/June** Sewer installation

**July/August** Street construction

**September** Landscape restoration, tree planting

**September 30** Substantial completion

# Driveways



- Driveway approaches will be removed early in project (May/June). Approaches will be stoned immediately after to preserve access
- Approaches will be replaced in new style matching width of existing driveway.
- 24-48 hours notice given prior to driveway closure for curb installation.
- No access to driveway during the installation of curb and replacement of driveway approaches – approximately 10-14 days.
- On-street overnight parking permits included in March 21 mailing
  - Vehicles to park outside of project area overnight. Parking permits valid for Shorewood ONLY not Whitefish Bay streets.
- Accommodations can be made for residents with mobility impairments/medical issues.

# Project Communication



- Weekly email updates
  - [dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)
- Web page
  - [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)
- Department of Public Works
  - 414.847.2650
- Project Inspection team – Strand Associates
  - Colin Doherty 608-658-9508

# Thank You!




To receive weekly email updates:  
[dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)

- Project questions?

Leeann Butschlick  
Director of Public Works  
414.847.2650  
[lbutschlick@villageofshorewood.org](mailto:lbutschlick@villageofshorewood.org)

Joel Kolste  
Assistant Director of Public Works  
414.847.2650  
[jkolste@villageofshorewood.org](mailto:jkolste@villageofshorewood.org)

Colin Doherty  
Field Engineer/Inspector  
phone # 608-658-9508



Weekly updates posted on: [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)



# VILLAGE OF SHOREWOOD

## 2016 NE COMBINED SEWER IMPROVEMENTS

Shorewood Public Works  
Village Hall • April 7, 2016

# Our Goals




- Tonight:
  - Enhance your understanding of the project
  - Be accessible to address your questions or concerns
- Throughout the project:
  - Minimize disruption and inconvenience
  - Complete a quality project
  - Be accessible to address your concerns

# Tonight's Agenda



- Project Scope
  - Sewer relay
  - Road reconstruction
  - Water main & service replacement
  - Ash tree replacement
- Project Schedule
- Project Team
- Communication
- Question/Answer

# 2016 Project Area



# Project Scope



## Sewer Relay

- Recommended in 2011 Facilities Plan
- Includes capacity improvements and rerouting of flows
- Reduces backup risk in the north side of the combined area
- Reduces incidence of existing combined sewer bypassing to Lake Michigan



# Project Scope



## Street Restoration

### Full reconstruction

- New concrete curb and gutter
- New driveway approaches and carriage walks
- New pedestrian curb ramps with ADA detectable warning fields
- Asphalt street
  - 10 inch base course
  - 6 inch asphalt course
- Landscape restoration with sod

### Asphalt overlay

- Curb, gutter and driveway approaches to remain
- New asphalt 2" top course
- No landscape restoration required

# Project Scope



## Water System Improvements

### Water main

- Main replacement segment identified based upon maintenance records
- Multiple gate valve replacements/new installations
- Contractor required to provide minimum 24 hour notice for any non-emergency water shut-offs
- Utility work is first among scheduled tasks

### Water services


- Municipal service connections to new water main replaced with copper
- Affected homeowners notified; informational meeting to follow

# Project Scope



## Additional Improvements

- Green Infrastructure
  - Pervious paver crosswalks test program at intersection of Kensington and Frederick
- Terrace drain system will be installed in most areas for private sump pump and/or downspout connections



# Project Scope



## Ash Tree Replacement

- Component of Village EAB Readiness Plan
- Proactive removal of identified ash trees in project area meeting Village Board approved criteria
  - All ash trees in poor condition
  - All European and Green ash under 24” in diameter
  - White ash to remain per recent urban forestry research of higher EAB tolerance
  - All remaining trees to be treated for EAB under Village’s current injection program
- Tree removal among first tasks; replacement planting among final tasks



*Toledo, Ohio. Left: Before EAB June 2006. Right: Peak EAB June 2009.*



# Project Schedule Highlights

- Subject to change; weather permitting

**April/May** Sewer and water main installation

**May/June** Sewer installation

**July/August** Street construction

**September** Landscape restoration, tree planting

**September 30** Substantial completion

# Driveways



- Driveway approaches will be removed early in project (May/June). Approaches will be stoned immediately after to preserve access
- Approaches will be replaced in new style matching width of existing driveway.
- 24-48 hours notice given prior to driveway closure for curb installation.
- No access to driveway during the installation of curb and replacement of driveway approaches – approximately 10-14 days.
- On-street overnight parking permits included in March 21 mailing
  - Vehicles to park outside of project area overnight. Parking permits valid for Shorewood ONLY not Whitefish Bay streets.
- Accommodations can be made for residents with mobility impairments/medical issues.

# Project Communication



- Weekly email updates
  - [dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)
- Web page
  - [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)
- Department of Public Works
  - 414.847.2650
- Project Inspection team – Strand Associates
  - Colin Doherty 608-658-9508

# Thank You!




To receive weekly email updates:  
[dpw@villageofshorewood.org](mailto:dpw@villageofshorewood.org)

- Project questions?

Leeann Butschlick  
Director of Public Works  
414.847.2650  
[lbutschlick@villageofshorewood.org](mailto:lbutschlick@villageofshorewood.org)

Joel Kolste  
Assistant Director of Public Works  
414.847.2650  
[jkolste@villageofshorewood.org](mailto:jkolste@villageofshorewood.org)

Colin Doherty  
Field Engineer/Inspector  
phone # 608-658-9508



Weekly updates posted on: [www.villageofshorewood.org/NEsewer](http://www.villageofshorewood.org/NEsewer)